

CERTIFICATE OF CONFORMITY



**BUREAU
VERITAS**

Product : Switching Power Supply
Model No. : PJ-12V150WD, PJ-12V150WE, PJ-24V150WD, PJ-24V150WE,
PJ-48V150WD, PJ-48V150WE
Series Model : PJ-xxV150WDx1x2x3, PJ-xxV150WEx1x2x3, PJ-150YxxVDx1x2x3,
PJ-150YxxVEx1x2x3 (Where xx=12, 24, 48; x1, x2, x3=0-9, A-Z or blank)
Applicant : Delta Electronics, Inc.
Report No. : CEBAPP-WTW-P25020547-1



We, **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, declare that the equipment above has been tested in our facility and found compliance with the requirement limits of applicable standards, in accordance with the Directive 2014/30/EU. The test record, data evaluation and Equipment Under Test (EUT) configurations represented herein are true and accurate under the standards herein specified.

EN 61000-6-4: 2007+A1:2011

EN IEC 61000-6-4: 2019 / IEC 61000-6-4: 2018 ED. 3.0

EN 61000-6-2: 2005+AC:2005

EN IEC 61000-6-2: 2019 / IEC 61000-6-2: 2016 ED. 3.0

EN 61000-3-2: 2014 / IEC 61000-3-2: 2014 ED. 4.0, Class A

EN 61000-3-2: 2014 / IEC 61000-3-2: 2014 ED. 4.0, Class D

EN IEC 61000-3-2: 2019+A1:2021+A2:2024 / IEC 61000-3-2: 2024 ED. 5.2, Class A

EN IEC 61000-3-2: 2019+A1:2021+A2:2024 / IEC 61000-3-2: 2024 ED. 5.2, Class D

EN 61000-3-3: 2013 / IEC 61000-3-3: 2013 ED. 3.0

EN 61000-3-3: 2013+A1:2019+A2:2021+AC:2022 /

IEC 61000-3-3: 2013+AMD1:2017+AMD2:2021+COR1:2022 ED. 3.0

EN 55011: 2016+A1:2017+A11:2020+A2:2021 / CISPR 11: 2015+AMD1:2016+AMD2:2019 ED. 6.0 /

CISPR 11: 2019 ED. 6.2

EN 61000-4-2: 2009 / IEC 61000-4-2: 2008 ED. 2.0

EN IEC 61000-4-3: 2020 / IEC 61000-4-3: 2020 ED. 4.0

EN 61000-4-4: 2012 / IEC 61000-4-4: 2012 ED. 3.0


EN 61000-4-5: 2014+A1:2017 / IEC 61000-4-5: 2017 ED. 3.1

EN IEC 61000-4-6: 2023 / IEC 61000-4-6: 2023 ED. 5.0

EN 61000-4-8: 2010 / IEC 61000-4-8: 2009 ED. 2.0

EN IEC 61000-4-11: 2020+AC:2020 / IEC 61000-4-11: 2020 ED. 3.0

NOTE: The above EN/IEC basic standards are applied with latest version if customer has no special requirement.



Jim Hsiang / Associate Technical Manager

2025/8/7

No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Tel: 886-2-26052180 Fax: 886-2-26051924

http://ee.bureauveritas.com.tw E-Mail: service.adt@tw.bureauveritas.com



CERTIFICATE OF CONFORMITY



**BUREAU
VERITAS**

**UK
CA**

Product : Switching Power Supply
Model No. : PJ-12V150WD, PJ-12V150WE, PJ-24V150WD, PJ-24V150WE,
PJ-48V150WD, PJ-48V150WE
Series Model : PJ-xxV150WDx1x2x3, PJ-xxV150WEx1x2x3, PJ-150YxxVDx1x2x3,
PJ-150YxxVEx1x2x3 (Where xx=12, 24, 48; x1, x2, x3=0-9, A-Z or blank)
Applicant : Delta Electronics, Inc.
Report No. : CEBAPP-WTW-P25020547-1

We, **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, declare that the equipment above has been tested in our facility and found compliance with the requirement limits of applicable standards, in accordance with the Electromagnetic Compatibility Regulations 2016 (S.I. 2016/1091). The test record, data evaluation and Equipment Under Test (EUT) configurations represented herein are true and accurate under the standards herein specified.

EN 61000-6-4: 2007+A1:2011

EN IEC 61000-6-4: 2019 / IEC 61000-6-4: 2018 ED. 3.0

EN 61000-6-2: 2005+AC:2005

EN IEC 61000-6-2: 2019 / IEC 61000-6-2: 2016 ED. 3.0

EN 61000-3-2: 2014 / IEC 61000-3-2: 2014 ED. 4.0, Class A

EN 61000-3-2: 2014 / IEC 61000-3-2: 2014 ED. 4.0, Class D

EN IEC 61000-3-2: 2019+A1:2021+A2:2024 / IEC 61000-3-2: 2024 ED. 5.2, Class A

EN IEC 61000-3-2: 2019+A1:2021+A2:2024 / IEC 61000-3-2: 2024 ED. 5.2, Class D

EN 61000-3-3: 2013 / IEC 61000-3-3: 2013 ED. 3.0

EN 61000-3-3: 2013+A1:2019+A2:2021+AC:2022 /

IEC 61000-3-3: 2013+AMD1:2017+AMD2:2021+COR1:2022 ED. 3.0

EN 55011: 2016+A1:2017+A11:2020+A2:2021 / CISPR 11: 2015+AMD1:2016+AMD2:2019 ED. 6.0 /

CISPR 11: 2019 ED. 6.2

EN 61000-4-2: 2009 / IEC 61000-4-2: 2008 ED. 2.0

EN IEC 61000-4-3: 2020 / IEC 61000-4-3: 2020 ED. 4.0

EN 61000-4-4: 2012 / IEC 61000-4-4: 2012 ED. 3.0

EN 61000-4-5: 2014+A1:2017 / IEC 61000-4-5: 2017 ED. 3.1

EN IEC 61000-4-6: 2023 / IEC 61000-4-6: 2023 ED. 5.0

EN 61000-4-8: 2010 / IEC 61000-4-8: 2009 ED. 2.0

EN IEC 61000-4-11: 2020+AC:2020 / IEC 61000-4-11: 2020 ED. 3.0

NOTE: The above EN/IEC basic standards are applied with latest version if customer has no special requirement.

Jim Hsiang

Jim Hsiang / Associate Technical Manager

2025/8/7

No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Tel: 886-2-26052180 Fax: 886-2-26051924

http://ee.bureauveritas.com.tw E-Mail: service.adt@tw.bureauveritas.com



TEST REPORT

CERTIFICATE OF CONFORMITY

Standard: EN 61000-6-4: 2007+A1:2011
EN IEC 61000-6-4: 2019 / IEC 61000-6-4: 2018 ED. 3.0
EN 61000-6-2: 2005+AC:2005
EN IEC 61000-6-2: 2019 / IEC 61000-6-2: 2016 ED. 3.0
EN 61000-3-2: 2014 / IEC 61000-3-2: 2014 ED. 4.0, Class A
EN 61000-3-2: 2014 / IEC 61000-3-2: 2014 ED. 4.0, Class D
EN IEC 61000-3-2: 2019+A1:2021+A2:2024 / IEC 61000-3-2: 2024 ED. 5.2, Class A
EN IEC 61000-3-2: 2019+A1:2021+A2:2024 / IEC 61000-3-2: 2024 ED. 5.2, Class D
EN 61000-3-3: 2013 / IEC 61000-3-3: 2013 ED. 3.0
EN 61000-3-3: 2013+A1:2019+A2:2021+AC:2022 /
IEC 61000-3-3: 2013+AMD1:2017+AMD2:2021+COR1:2022 ED. 3.0

Report No.: CEBAPP-WTW-P25020547-1

Product: Switching Power Supply

Model No.: PJ-12V150WD, PJ-12V150WE, PJ-24V150WD, PJ-24V150WE, PJ-48V150WD,
PJ-48V150WE

Series Model: PJ-xxV150WDx1x2x3, PJ-xxV150WEx1x2x3, PJ-150YxxVDx1x2x3,
PJ-150YxxVEx1x2x3 (Where xx=12, 24, 48; x1, x2, x3=0-9, A-Z or blank)

Received Date: 2025/2/20

Test Date: 2025/2/21 ~ 2025/7/30

Issued Date: 2025/8/7

Applicant: Delta Electronics, Inc.

Address: 3, Tungyuan Road, Chungli Industrial Zone, Taoyuan City 32063, Taiwan

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Approved by: _____

Jim Hsiang

Date: _____

2025/8/7

Jim Hsiang / Associate Technical Manager

This test report consists of 56 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The test results in the report only apply to the tested sample. The test results in this report are traceable to the national or international standards.



Prepared by : Ivy Lin / Specialist

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

CERTIFICATE OF CONFORMITY



**BUREAU
VERITAS**

Product : Switching Power Supply
Model No. : PJ-12V150WD, PJ-12V150WE, PJ-24V150WD, PJ-24V150WE,
PJ-48V150WD, PJ-48V150WE
Series Model : PJ-xxV150WDx1x2x3, PJ-xxV150WEx1x2x3, PJ-150YxxVDx1x2x3,
PJ-150YxxVEx1x2x3 (Where xx=12, 24, 48; x1, x2, x3=0-9, A-Z or blank)
Applicant : Delta Electronics, Inc.
Report No. : CEBAPP-WTW-P25020547



We, **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, declare that the equipment above has been tested in our facility and found compliance with the requirement limits of applicable standards, in accordance with the Directive 2014/30/EU. The test record, data evaluation and Equipment Under Test (EUT) configurations represented herein are true and accurate under the standards herein specified.

EN 55032: 2015+A11:2020 / CISPR 32: 2015+Cor 1:2016, Class B

AS/NZS CISPR 32: 2015 +AMD1:2020 / CISPR 32: 2015+AMD1:2019 ED. 2.0, Class B
CISPR 32: 2019 ED. 2.1, Class B

EN 61000-3-2: 2014 / EN IEC 61000-3-2: 2019+A1:2021+A2:2024, Class A

EN 61000-3-2: 2014 / EN IEC 61000-3-2: 2019+A1:2021+A2:2024, Class D

EN 61000-3-3: 2013 / EN 61000-3-3: 2013+A1:2019+A2:2021+AC:2022

EN 55035: 2017+A11:2020

EN 61000-4-2: 2009 / IEC 61000-4-2: 2008 ED. 2.0

EN IEC 61000-4-3: 2020 / IEC 61000-4-3: 2020 ED. 4.0

EN 61000-4-4: 2012 / IEC 61000-4-4: 2012 ED. 3.0

EN 61000-4-5: 2014+A1:2017 / IEC 61000-4-5: 2017 ED. 3.1

EN IEC 61000-4-6: 2023 / IEC 61000-4-6: 2023 ED. 5.0

EN 61000-4-8: 2010 / IEC 61000-4-8: 2009 ED. 2.0

EN IEC 61000-4-11: 2020+AC:2020 / IEC 61000-4-11: 2020 ED. 3.0

NOTE: The above EN/IEC basic standards are applied with latest version if customer has no special requirement.

Jim Hsiang / Associate Technical Manager

2025/8/7

No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Tel: 886-2-26052180 Fax: 886-2-26051924

<http://ee.bureauveritas.com.tw> E-Mail: service.adt@tw.bureauveritas.com



CERTIFICATE OF CONFORMITY



BUREAU
VERITAS

Product : Switching Power Supply
Model No. : PJ-12V150WD, PJ-12V150WE, PJ-24V150WD, PJ-24V150WE,
PJ-48V150WD, PJ-48V150WE
Series Model : PJ-xxV150WDx1x2x3, PJ-xxV150WEx1x2x3, PJ-150YxxVDx1x2x3,
PJ-150YxxVEx1x2x3 (Where xx=12, 24, 48; x1, x2, x3=0-9, A-Z or blank)
Applicant : Delta Electronics, Inc.
Report No. : CEBAPP-WTW-P25020547

UK
CA

We, **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, declare that the equipment above has been tested in our facility and found compliance with the requirement limits of applicable standards, in accordance with the Electromagnetic Compatibility Regulations 2016 (S.I. 2016/1091). The test record, data evaluation and Equipment Under Test (EUT) configurations represented herein are true and accurate under the standards herein specified.

EN 55032: 2015+A11:2020 / CISPR 32: 2015+Cor 1:2016, Class B

**AS/NZS CISPR 32: 2015 +AMD1:2020 / CISPR 32: 2015+AMD1:2019 ED. 2.0, Class B
CISPR 32: 2019 ED. 2.1, Class B**

EN 61000-3-2: 2014 / EN IEC 61000-3-2: 2019+A1:2021+A2:2024, Class A

EN 61000-3-2: 2014 / EN IEC 61000-3-2: 2019+A1:2021+A2:2024, Class D

EN 61000-3-3: 2013 / EN 61000-3-3: 2013+A1:2019+A2:2021+AC:2022

EN 55035: 2017+A11:2020

EN 61000-4-2: 2009 / IEC 61000-4-2: 2008 ED. 2.0

EN IEC 61000-4-3: 2020 / IEC 61000-4-3: 2020 ED. 4.0

EN 61000-4-4: 2012 / IEC 61000-4-4: 2012 ED. 3.0

EN 61000-4-5: 2014+A1:2017 / IEC 61000-4-5: 2017 ED. 3.1

EN IEC 61000-4-6: 2023 / IEC 61000-4-6: 2023 ED. 5.0

EN 61000-4-8: 2010 / IEC 61000-4-8: 2009 ED. 2.0

EN IEC 61000-4-11: 2020+AC:2020 / IEC 61000-4-11: 2020 ED. 3.0

NOTE: The above EN/IEC basic standards are applied with latest version if customer has no special requirement.

Jim Hsiang

Jim Hsiang / Associate Technical Manager

2025/8/7



No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Tel: 886-2-26052180 Fax: 886-2-26051924

<http://ee.bureauveritas.com.tw> E-Mail: service.adt@tw.bureauveritas.com

TEST REPORT

CERTIFICATE OF CONFORMITY

Standard: EN 55032: 2015+A11:2020 / CISPR 32: 2015+Cor 1:2016, Class B
AS/NZS CISPR 32: 2015 +AMD1:2020 / CISPR 32: 2015+AMD1:2019 ED. 2.0, Class B
CISPR 32: 2019 ED. 2.1, Class B
EN 61000-3-2: 2014 / EN IEC 61000-3-2: 2019+A1:2021+A2:2024, Class A
EN 61000-3-2: 2014 / EN IEC 61000-3-2: 2019+A1:2021+A2:2024, Class D
EN 61000-3-3: 2013 / EN 61000-3-3: 2013+A1:2019+A2:2021+AC:2022
EN 55035: 2017+A11:2020

Report No.: CEBAPP-WTW-P25020547

Product: Switching Power Supply

Model No.: PJ-12V150WD, PJ-12V150WE, PJ-24V150WD, PJ-24V150WE, PJ-48V150WD,
PJ-48V150WE

Series Model: PJ-xxV150WDx1x2x3, PJ-xxV150WEx1x2x3, PJ-150YxxVDx1x2x3,
PJ-150YxxVEx1x2x3 (Where xx=12, 24, 48; x1, x2, x3=0-9, A-Z or blank)

Received Date: 2025/2/20

Test Date: 2025/2/21 ~ 2025/7/30

Issued Date: 2025/8/7

Applicant: Delta Electronics, Inc.

Address: 3, Tungyuan Road, Chungli Industrial Zone, Taoyuan City 32063, Taiwan

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Approved by:



, Date:

2025/8/7

Jim Hsiang / Associate Technical Manager

This test report consists of 63 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The test results in the report only apply to the tested sample. The test results in this report are traceable to the national or international standards.

Prepared by : Ivy Lin / Specialist



This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.