



中国国家强制性产品认证证书

证书编号：2022010907509385

认证委托人名称及地址

台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

生产者名称及地址

台达电子工业股份有限公司
台湾桃园市龟山区山顶里兴邦路 31 之 1 号

生产企业名称及地址

台达电子印度股份有限公司-SEZ 单位
在勘察编号 16/1B2B 和 16/1B2A, 土地号一, 工业园区, 库鲁巴拉帕利村 克里斯赫纳吉里, 塔米尔纳杜, 635115, 印度

产品名称和系列、型号、规格

开关电源

1) PMT-12V100W2BA; 2) PMT-15V100W2BA; 3) PMT-24V100W2BA; 4) PMT-30V100W2BA; 5) PMT-36V100W2BA; 6) PMT-48V100W2BA; : 输入: 200-240VAC 50-60Hz 2.3A ; 输出: 1) 12Vdc/8.5A; 2) 15Vdc/7.0A; 3) 24Vdc/4.5A; 4) 30Vdc/3.6A; 5) 36Vdc/3.0A; 6) 48Vdc/2.3A 不带电线组件销售, 仅适用于海拔 5000 米及以下

产品标准和技术要求

GB 17625.1-2022 (A 类); GB 4943.1-2022; GB/T 9254.1-2021

上述产品符合《强制性产品认证实施规则 电子产品及安全附件》(CNCA-C09-01:2023) 的要求, 特发此证。

发证日期: 2024 年 01 月 25 日 有效期至: 2027 年 11 月 09 日

本证书为变更证书, 证书首次颁发日期: 2022 年 11 月 10 日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验,
也可在认监委网站 (www.cnca.gov.cn) 查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2022010907509385

NAME AND ADDRESS OF THE APPLICANT

Delta Electronics, Inc.
No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan ,
P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Delta Electronics, Inc.
No. 31-1, Xingbang Road, Shanding Village, Guishan District, Taoyuan City 333613, Taiwan ,
P.R.China

NAME AND LOCATION OF THE FACTORY

DELTA ELECTRONICS INDIA PRIVATE LIMITED - SEZ UNIT
SY No. 16/1B2B Part & 16/1B2A Part, Plot No.1, Industrial Park, Kurubarapalli Village, Krishnagiri
Dist, Tamil Nadu, 635115, India

PRODUCT NAME,MODEL AND SPECIFICATION

SWITCHING POWER SUPPLY

1)PMT-12V100W2BA;2)PMT-15V100W2BA;3)PMT-24V100W2BA;4)PMT-30V100W2BA;5)PMT-36V100W2BA;6)
PMT-48V100W2BA; ; input : 200-240VAC 50-60Hz 2.3A ; output : 1) 12Vdc/8.5A ; 2) 15Vdc/7.0A ; 3) 24Vdc/4.5A ;
4) 30Vdc/3.6A ; 5) 36Vdc/3.0A ; 6) 48Vdc/2.3A; Sale without cord set, Altitude up to 5000m

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022 (Class A) ;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

Valid from: Jan.25,2024

Valid until: Nov.09,2027

Date of original issued: Nov.10,2022

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号：2022010907509385

发证日期：2023年05月22日
有效期至：2027年11月09日

认证委托人名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
产品生产者名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
生产企业名称 及生产地址	台达电子印度股份有限公司-SEZ 单位 在勘察编号 16/1B2B 和 16/1B2A, 土地号一, 工业园区, 库鲁巴拉帕利村 克里斯赫纳吉里, 塔米尔纳 杜, 635115, 印度
产品名称和系列、 规格、型号	开关电源 见附件; 不带电线组件销售, 仅适用于海拔 5000 米及以下
产品标准和 技术要求	GB 17625.1-2022(Class A);GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2022 年 11 月 10 日
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2022010907509385

第 1 页 / 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号：

- 1) PMT-12V100W2BA ; 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA ; 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA ; 6) PMT-48V100W2BA

规格：

输入：200-240VAC ， 2.3A ， 50-60Hz

输出：

- 1) 12Vdc/7.65A(输入 100V-114V), 12Vdc/8.5A(输入 115V- 240V)
- 2) 15Vdc/6.3A(输入 100V-114V), 15Vdc/7.0A(输入 115V-240V)
- 3) 24Vdc/4.05A(输入 100V-114V), 24Vdc/4.5A(输入 115V- 240V)
- 4) 30Vdc/3.24A(输入 100V-114V), 30Vdc/3.6A(输入 115V- 240V)
- 5) 36Vdc/2.7A(输入 100V-114V), 36Vdc/3.0A(输入 115V-240V)
- 6) 48Vdc/2.07A(输入 100V-114V), 48Vdc/2.3A(输入 115V- 240V)



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907509385

Valid from: May.22,2023

Valid until: Nov.09,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Delta Electronics, Inc. 31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Delta Electronics, Inc. 31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan
NAME AND LOCATION OF THE FACTORY	DELTA ELECTRONICS INDIA PRIVATE LIMITED - SEZ UNIT SY No. 16/1B2B Part & 16/1B2A Part, Plot No.1, Industrial Park, Kurubarapalli Village, Krishnagiri Dist, Tamil Nadu, 635115, India
PRODUCT MODEL(S)	SWITCHING POWER SUPPLY See Appendix; Sale without cord set, Altitude up to 5000m
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2022(Class A);GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Nov.10,2022

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907509385

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

Model :

- 1) PMT-12V100W2BA ; 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA ; 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA ; 6) PMT-48V100W2BA

Input: 200-240VAC, 2.3A, 50-60Hz

Output:

- 1) 12Vdc/7.65A (input 100V-114V), 12Vdc/8.5A (input 115V- 240V)
- 2) 15Vdc/6.3A (input 100V-114V), 15Vdc/7.0A (input 115V-240V)
- 3) 24Vdc/4.05A (input 100V-114V), 24Vdc/4.5A (input 115V- 240V)
- 4) 30Vdc/3.24A (input 100V-114V), 30Vdc/3.6A (input 115V- 240V)
- 5) 36Vdc/2.7A (input 100V-114V), 36Vdc/3.0A (input 115V-240V)
- 6) 48Vdc/2.07A (input 100V-114V), 48Vdc/2.3A (input 115V- 240V)



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2022010907509385

申请编号 Application No. : A2023CCC0907-4150596

申请人(委托人) Applicant: 台达电子工业股份有限公司 / Delta Electronics, Inc.

证书编号 Certificate No.(变更前 Original): 2022010907509385

变更产品名称: 开关电源

Name of Product Modified: SWITCHING POWER SUPPLY

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	标准换版	GB 4943.1-2011	GB 4943.1-2022;
2	EMC 标准换版	GB 17625.1-2012;	GB 17625.1-2012;
3	.增加管控绝缘片	见原申请号 A2022CCC0907-4055792 报告号 13001-20221001C31532-P-S 安全关键件	见本次申请号 A2023CCC0907- 4150596、报告号 13001- 20230401C09126-P-S 安全关键件
4	变更产品规格	输入: 100-240VAC 50-60Hz 2.3A 输出: 1) 12Vdc/7.65A(输入 100V-114V), 12Vdc/8.5A(输入 115V-240V) 2) 15Vdc/6.3A(输入 100V-114V), 15Vdc/7.0A(输入 115V-240V) 3) 24Vdc/4.05A(输入 100V-114V), 24Vdc/4.5A(输入 115V-240V) 4) 30Vdc/3.24A(输入 100V-114V), 30Vdc/3.6A(输入 115V-240V) 5) 36Vdc/2.7A(输入 100V-114V), 36Vdc/3.0A(输入 115V-240V) 6)	输入: 200-240VAC 50-60Hz 2.3A 输出: 1) 12Vdc/8.5A 2) 15Vdc/7.0A 3) 24Vdc/4.5A 4) 30Vdc/3.6A 5) 36Vdc/3.0A 6) 48Vdc/2.3A

第 1 页 / 共 2 页

签发: 谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2022010907509385

		48Vdc/2.07A(输入 100V-114V), 48Vdc/2.3A(输入 115V-240V)	
--	--	--	--

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期 (Date) : 2023 年 05 月 22 日

第 2 页 / 共 2 页

签发: 谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2022010907509385

发证日期: 2022年11月10日

有效期至: 2027年11月09日

认证委托人名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
产品生产者名称 及注册地址	台达电子工业股份有限公司 台湾桃园县龟山乡山顶村兴邦路 31 之 1 号
生产企业名称 及生产地址	台达电子印度股份有限公司-SEZ 单位 在勘察编号 16/1B2B 和 16/1B2A, 土地号一, 工业园区, 库鲁巴拉帕利村 克里斯赫纳吉里, 塔米尔纳 杜, 635115, 印度
产品名称和系列、 规格、型号	开关电源 见附件; 不带电线组件销售, 仅适用于海拔 5000 米及以下
产品标准和 技术要求	GB 17625.1-2012;GB 4943.1-2011;GB/T 9254.1-2021

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心



中国国家强制性产品认证证书

证书编号：2022010907509385

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

型号：1) PMT-12V100W2BA

2) PMT-15V100W2BA

3) PMT-24V100W2BA

4) PMT-30V100W2BA

5) PMT-36V100W2BA

6) PMT-48V100W2BA

规格：输入：100-240VAC

50-60Hz

2. 3A

输出：

1) 12Vdc/7.65A(输入 100V-114V), 12Vdc/8.5A(输入 115V-240V)

2) 15Vdc/6.3A(输入 100V-114V), 15Vdc/7.0A(输入 115V-240V)

3) 24Vdc/4.05A(输入 100V-114V), 24Vdc/4.5A(输入 115V-240V)

4) 30Vdc/3.24A(输入 100V-114V), 30Vdc/3.6A(输入 115V-240V)

5) 36Vdc/2.7A(输入 100V-114V), 36Vdc/3.0A(输入 115V-240V)

6) 48Vdc/2.07A(输入 100V-114V), 48Vdc/2.3A(输入 115V-240V)



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010907509385

Valid from: Nov.10,2022

Valid until: Nov.09,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Delta Electronics, Inc. 31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Delta Electronics, Inc. 31-1, Shien Pan Road, Shanding Village, Guishanshan, Taoyuan County 33370, Taiwan
NAME AND LOCATION OF THE FACTORY	DELTA ELECTRONICS INDIA PRIVATE LIMITED - SEZ UNIT SY No. 16/1B2B Part & 16/1B2A Part, Plot No.1, Industrial Park, Kurubarapalli Village, Krishnagiri Dist, Tamil Nadu, 635115, India
PRODUCT MODEL(S)	SWITCHING POWER SUPPLY See Appendix; Sale without cord set, Altitude up to 5000m
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2012;GB 4943.1-2011;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010907509385

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

- 1) PMT-12V100W2BA
- 2) PMT-15V100W2BA
- 3) PMT-24V100W2BA
- 4) PMT-30V100W2BA
- 5) PMT-36V100W2BA
- 6) PMT-48V100W2BA

Input : 100-240VAC

50-60Hz

2. 3A

Output :

- 1) 12Vdc/7.65A(input 100V-114V), 12Vdc/8.5A(input 115V-240V)
- 2) 15Vdc/6.3A(input 100V-114V), 15Vdc/7.0A(input 115V-240V)
- 3) 24Vdc/4.05A(input 100V-114V), 24Vdc/4.5A(input 115V-240V)
- 4) 30Vdc/3.24A(input 100V-114V), 30Vdc/3.6A(input 115V-240V)
- 5) 36Vdc/2.7A(input 100V-114V), 36Vdc/3.0A(input 115V-240V)
- 6) 48Vdc/2.07A(input 100V-114V), 48Vdc/2.3A(input 115V-240V)



CHINA QUALITY CERTIFICATION CENTRE